



BARCELONA

Anuncios Clasificados Gratuitos 2024

# Botox, Juvederm, Restylane, Perlane, Macrolane, Radiesse en venta

**Envia un email al anunciante:** user-477216@AnuncioTIC.com

**Messenger:** Contacto :

**Fecha:** Lunes, 07 Mayo de 2018

227 personas han visto este anuncio

**Precio:** 90

Comprar Botox 100 UI Dysport (Reloxin) 300 UI Comprar Xeomin 100 UI Juvederm Ultra 2 (XC) Juvederm Ultra 3 (PLUS XC) Juvederm Ultra 4 Juvederm Ultra 4 (2 x 1 ml) Juvederm Ultra Smile Juvederm Hydrate Juvederm Voluma Juvederm Volbella Restylane 1ml Restylane con lidocaína 1 ml Perlane 1ml Perlane con lidocaína 1ml Radiesse 1.5ml Radiesse .8ml. Macrolane Euflexxa Synvisc Sculptra Hyalgan Sculptra Balance de Belotero Belotero Intenso Belotero Soft Surgiderm 24 XP Surgiderm 30 XP Latisse GHBEMLARitalin 10 mg y 20 mg Rubifen 20 mg Duromine Rohypnol Trankimazin 1 mg y 2 mg REDOTEX CONCERTA 18 mg, 27 mg, 36 mg y 54 Aplicaciones: Alisando la frente, Eliminación de arrugas entre las cejas Disminución de los ojos arrugados Levantando la esquina de la boca caída Mejora de la sonrisa gomosa Bunny nose



INDICATIONS	CONTRAINDICATIONS
<p><b>Indications:</b> Radiesse is indicated for the correction of moderate to severe facial wrinkles and folds, such as nasolabial folds.</p>	<p><b>Contraindications:</b> Radiesse is contraindicated in patients with a known hypersensitivity to any of the components of the product, including calcium hydroxylapatite, poly-L-lactic acid, or poly-L-lactide.</p>
<p><b>Warnings:</b> Radiesse should be used with caution in patients with a history of bleeding disorders or those taking anticoagulant or antiplatelet therapy. Radiesse should be used with caution in patients with a history of allergic reactions to any of the components of the product.</p>	<p><b>Warnings:</b> Radiesse should be used with caution in patients with a history of bleeding disorders or those taking anticoagulant or antiplatelet therapy. Radiesse should be used with caution in patients with a history of allergic reactions to any of the components of the product.</p>
<p><b>Precautions:</b> Radiesse should be used with caution in patients with a history of bleeding disorders or those taking anticoagulant or antiplatelet therapy. Radiesse should be used with caution in patients with a history of allergic reactions to any of the components of the product.</p>	<p><b>Precautions:</b> Radiesse should be used with caution in patients with a history of bleeding disorders or those taking anticoagulant or antiplatelet therapy. Radiesse should be used with caution in patients with a history of allergic reactions to any of the components of the product.</p>
<p><b>Adverse Reactions:</b> The most common adverse reactions reported in clinical trials were pain, redness, swelling, bruising, and tenderness at the injection site. Other adverse reactions included headache, dizziness, and nausea.</p>	<p><b>Adverse Reactions:</b> The most common adverse reactions reported in clinical trials were pain, redness, swelling, bruising, and tenderness at the injection site. Other adverse reactions included headache, dizziness, and nausea.</p>

RADIESSE®  NOT FOR USE BEFORE 2012.05.04

1.5 cc

**FOLD** **PEEL**

Radiesse® Calcium Hydroxylapatite Injections 1.5 cc  
LOT: 100004 1.5  
EXP: 2012.05.04

Radiesse® Calcium Hydroxylapatite Injections 1.5 cc  
LOT: 100004 1.5  
EXP: 2012.05.04

Radiesse® Calcium Hydroxylapatite Injections 1.5 cc  
LOT: 100004 1.5  
EXP: 2012.05.04



RADIESSE



